



General Practice Assessment Questionnaire

MANUAL
for
GENERAL PRACTICE ASSESSMENT QUESTIONNAIRE

GPAQ V3

December 2011

This questionnaire has been developed by the Cambridge Centre for Health Services Research at the University of Cambridge in collaboration with Peninsula Medical School. GPAQ was originally developed from the PCAS survey with permission of Dr Dana Gelb Safran



Contents

1. Background

- 1.1 Introduction
- 1.2 How was the General Practice Assessment Questionnaire (GPAQ) developed?
- 1.3 Why are there no longer two versions of GPAQ?
- 1.4 How does the new version of GPAQ help practices meet the new DES?

2. Permission to use GPAQ

- 2.1 GPAQ: terms for use
- 2.2 Copyright
- 2.3 Commercial services for analysing GPAQ

3. Choosing a sample for the survey

- 3.1 Sample Size: How many questionnaires do you need to collect for GPAQ surveys?
- 3.2 Sample Quality
 - 3.2.1 Take time to make sure the sample is correct
 - 3.2.2 Patients who don't speak English

4. Running a Survey

- 4.1 By Post or In Surgery?
- 4.2 Running a survey by post
- 4.3 Running a survey in the surgery
- 4.4 Mixing methods
- 4.5 Running the survey by e-mail or via the practice website
- 4.6 Using GPAQ with children and ethnic minority groups

5. More about the questions

6. Analysis

- 6.1 Options for analysis
- 6.2 Why are there no longer "scales" as there were in earlier versions of GPAQ?
- 6.3 Should GPAQ scores be calculated for a practice or for individual doctors?
- 6.4 Balancing results for the practice where doctors work different hours
- 6.5 Dealing with the results
- 6.6 Benchmarking GPAQ scores

Appendix 1 Taking action on GPAQ scores

Appendix 2 Contributors to the development of GPAQ

References

5. More about the Questions

GPAQ V3 includes questions about access to the surgery, receptionists, continuity of care, communication by doctors and nurses, enablement and overall satisfaction with the practice. Questions are designed to encompass the breadth of questions important to patients which practices will want to cover for the DES.

The socio-demographic questions (e.g. age, gender, ethnicity) and questions on longstanding illness put the survey results in context and can help to identify subgroups of your patients with particular problems for e.g. access to the surgery. We imagine that users of GPAQ will most often use information from these questions when they want to see how their respondents compare with others in the wider population of their practice or PCT.